FIELD GUIDE · INK-SAVING PRINT EDITION · KEEP IT DRY




# GROWING MY OWN FOOD

What to plant, how much, and when — a one-person, all-the-calories growing plan.

YOUR CLIMATE ZONE

## Temperate Maritime

Mild, wet, frost risk Oct-Apr

NORTHERN HEMISPHERE EDITION

**foodwhentheshopsstop.com/growing-my-own-food/**

Free to print, copy and share · Built from the same data as the free seed calculator

READ THIS FIRST

# The plan in one minute

This sheet tells you what to grow to feed **one adult for a year** from your own ground in a **Temperate Maritime** climate — and the order and months to sow it. It uses the same yield, loss and land figures as the free calculator at foodwhentheshopsstop.com, and picks the crops that give the most food from the least land *in your zone*.

| 1,107 m² | 1,484 kg | 3,155 | 21 |
|---|---|---|---|
| LAND PER PERSON (0.27 ACRE) | FOOD HARVESTED PER YEAR | KCAL A DAY, INCL. 10% BUFFER | CROPS IN THE PLAN |

HOW TO USE IT

1. **Find the month you are in** on page 3 — it tells you exactly what to sow *now* and what to do if nothing is sowable yet.
2. **Work down the plan** (page 4) — calorie staples first, then storage crops, then quick wins and greens. The quantities are per person: multiply for everyone you are feeding.
3. **Check the calendar** (page 5) for sowing and harvest windows, and the months you will eat from store.
4. **Save seed from the start** (page 7). You can only keep this going if you keep your own seed.

### Southern Hemisphere? Shift every date by six months

This is the **Northern Hemisphere edition**. In the south, download the Southern edition at **foodwhentheshopsstop.com/growing-my-own-food/** — or add six months to every date (a March sowing becomes September).

### What this plan assumes

- **One reference adult** needing about 2,868 kcal a day (average of an adult man and woman, moderate activity), plus a 10% buffer.
- **All the calories come from your garden** — no shop, livestock or foraging. Anything else reduces the land you need.
- **Realistic home-garden yields**, with germination failure and pest loss built in. Treat the numbers as a starting point and plant a little more than you think.
- **You have the land and water.** The land figure is growing area only, before paths, rotation and fallow.

### Your first 30 days

- [ ] **Pick your ground** — sunny, sheltered, near water. You do not need all 1,107 m² on day one: start with what you can look after and expand every season.
- [ ] **Get your seed** — open-pollinated varieties if you can. The shopping list is on page 9.
- [ ] **Sow what page 3 lists for this month**, staples first. Quick crops give you food in weeks while the slow ones grow.
- [ ] **Start a compost heap now** — soil fertility is what feeds next year's crop.
- [ ] **Sort out water** — catch rain from every roof you can, and mulch beds to hold moisture.
- [ ] **Keep a notebook** — what you sowed, when, and how it did. It becomes your most valuable tool by next year.

START HERE

# What to sow, month by month

Find today's month. Everything listed is sowable *now* in your zone, with the most important crops first. (Southern Hemisphere: use the Southern edition, or add six months.)

● Calorie staple ◆ Storage crop ▲ Quick win □ Nutrition crop

| | |
|---|---|
| **January** | ● Broad bean (dried) ◆ Onion<br>**Calories first.** Staples go in now — sow these before anything else. |
| **February** | ◆ Parsnip ◆ Onion ▲ Spring onion □ Cabbage (summer) □ Spinach<br>**Storage crops now.** These carry you through the lean months. |
| **March** | ● Oats ● Barley ● Pea (dried) ◆ Swede ◆ Parsnip ◆ Onion ◆ Beetroot ◆ Carrot ▲ Spring onion +7 more<br>**Calories first.** Staples go in now — sow these before anything else. |
| **April** | ● Oats ● Barley ● Pea (dried) ◆ Swede ◆ Beetroot ◆ Carrot ▲ Potato (early) ▲ Spring onion ▲ Rocket +8 more<br>**Calories first.** Staples go in now — sow these before anything else. |
| **May** | ● Potato (maincrop) ● Pea (dried) ◆ Swede ◆ Beetroot ◆ Carrot ▲ Potato (early) ▲ Spring onion ▲ Rocket ▲ Lettuce +6 more<br>**Calories first.** Staples go in now — sow these before anything else. |
| **June** | ● Potato (maincrop) ◆ Beetroot ◆ Carrot ▲ Spring onion ▲ Rocket ▲ Lettuce ▲ Radish □ Pea (fresh) □ Kale +2 more<br>**Calories first.** Staples go in now — sow these before anything else. |
| **July** | ◆ Beetroot ◆ Carrot ▲ Rocket ▲ Lettuce ▲ Radish □ Kale □ Chard<br>**Storage crops now.** These carry you through the lean months. |
| **August** | ▲ Rocket ▲ Radish □ Spinach □ Chard<br>**Quick crops only.** Prepare beds for **Broad bean (dried)** in Sep. |
| **September** | ● Broad bean (dried) □ Spinach<br>**Calories first.** Staples go in now — sow these before anything else. |
| **October** | ● Broad bean (dried)<br>**Calories first.** Staples go in now — sow these before anything else. |
| **November** | ● Broad bean (dried)<br>**Calories first.** Staples go in now — sow these before anything else. |
| **December** | —<br>**Nothing to sow.** Prepare ground, make compost, gather and sort seed. Next sowing: **Jan**. |

| CROP | % OF CALORIES | HARVEST | SOW / PLANT | LAND | SOW | HARVEST | KEEPS |
|---|---|---|---|---|---|---|---|
| **CALORIE STAPLES** the bulk of your energy — sow these first | | | | | | | |
| ● **Potato (maincrop)** | 25% | 380 kg | **35 kg seed potatoes** | 107 m² | May-Jun | Sep-Oct | 24 wk |
| ● **Oats** | 11% | 38 kg | **2.6 kg seed grain** | 194 m² | Mar-Apr | Jul-Aug | 1 yr+ |
| ● **Barley** | 11% | 36 kg | **3.4 kg seed grain** | 238 m² | Mar-Apr | Jul-Aug | 1 yr+ |
| ● **Pea (dried)** | 8% | 27 kg | **1,230 seeds** | 86 m² | Mar-May | Sep-Oct | 1 yr+ |
| ● **Broad bean (dried)** | 8% | 27 kg | **1,030 seeds** | 103 m² | Sep-Nov, Jan | May-Jul | 1 yr+ |
| **STORAGE CROPS** harvested once, eaten through autumn and winter | | | | | | | |
| ◆ **Swede** | 6% | 198 kg | **520 seeds** | 52 m² | Mar-May | Oct-Feb | 16 wk |
| ◆ **Parsnip** | 6% | 97 kg | **1,260 seeds** | 57 m² | Feb-Mar | Oct-Feb | 16 wk |
| ◆ **Onion** | 6% | 183 kg | **2,500 seeds** | 59 m² | Jan-Mar | Jul-Sep | 24 wk |
| ◆ **Beetroot** | 6% | 170 kg | **820 seeds** | 66 m² | Mar-Jul | Jun-Nov | 16 wk |
| ◆ **Carrot** | 6% | 178 kg | **1,570 seeds** | 71 m² | Mar-Jul | Jun-Nov | 20 wk |
| **QUICK WINS** fast food while the staples grow | | | | | | | |
| ▲ **Potato (early)** | 2% | 27 kg | **3.1 kg seed potatoes** | 10 m² | Apr-May | Jul-Aug | 20 wk |
| ▲ **Spring onion** | <1% | 6 kg | **200 seeds** | 4 m² | Feb-Jun | May-Oct | — |
| ▲ **Rocket** | <1% | 8 kg | **100 seeds** | 4 m² | Mar-Aug | May-Nov | — |
| ▲ **Lettuce** | <1% | 11 kg | **55 seeds** | 4 m² | Mar-Jul | May-Oct | — |
| ▲ **Radish** | <1% | 10 kg | **200 seeds** | 4 m² | Mar-Aug | May-Oct | — |
| **NUTRITION CROPS** greens and vegetables for vitamins and variety | | | | | | | |
| □ **Cabbage (summer)** | 1% | 30 kg | **32 seeds** | 8 m² | Feb-May | Jun-Oct | — |
| □ **Pea (fresh)** | <1% | 6 kg | **115 seeds** | 8 m² | Mar-Jun | Jun-Sep | — |
| □ **Spinach** | <1% | 20 kg | **135 seeds** | 8 m² | Feb-Apr, Aug-Sep | Apr-Jun, Oct-Nov | — |
| □ **Kale** | <1% | 8 kg | **20 seeds** | 8 m² | Mar-Jul | Jun-Feb | — |
| □ **Chard** | <1% | 16 kg | **40 seeds** | 8 m² | Apr-Aug | Jun-Nov | — |
| □ **Broccoli** | <1% | 7 kg | **27 seeds** | 8 m² | Apr-Jun | Jul-Oct | — |
| **TOTAL FOR ONE ADULT** | | **1,484 kg** | | **1,107 m²** | | **about 1.15 million kcal a year, including a 10% buffer** | |

Per person. “Sow / plant” is what goes in the ground and already allows for germination failure and pest loss. Quick wins and greens get a small fixed bed, so their calories are a bonus.

# Sowing & harvest calendar

S = sow · H = harvest · S/H = both · • = still good in store

**Bottom row:** how many of your crops are available to eat each month — **lean months (black): Mar, Apr**

| CROP | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ● Potato (maincrop) | • | • | • | | S | S | | | H | H | • | • |
| ● Oats | • | • | S | S | • | • | H | H | • | • | • | • |
| ● Barley | • | • | S | S | • | • | H | H | • | • | • | • |
| ● Pea (dried) | • | • | S | S | S | • | • | • | H | H | • | • |
| ● Broad bean (dried) | S | • | • | • | H | H | H | • | S | S | S | • |
| ◆ Swede | H | H | S | S | S | | | | | H | H | H |
| ◆ Parsnip | H | S/H | S | • | • | | | | | H | H | H |
| ◆ Onion | S | S | S | | | | H | H | H | • | • | • |
| ◆ Beetroot | • | • | S | S | S | S/H | S/H | H | H | H | H | • |
| ◆ Carrot | • | • | S | S | S | S/H | S/H | H | H | H | H | • |
| ▲ Potato (early) | | | | S | S | | H | H | • | • | • | • |
| ▲ Spring onion | | S | S | S | S/H | S/H | H | H | H | H | | |
| ▲ Rocket | | | S | S | S/H | S/H | S/H | S/H | H | H | H | |
| ▲ Lettuce | | | S | S | S/H | S/H | S/H | H | H | H | | |
| ▲ Radish | | | S | S | S/H | S/H | S/H | S/H | H | H | | |
| □ Cabbage (summer) | | S | S | S | S | H | H | H | H | H | | |
| □ Pea (fresh) | | | S | S | S | S/H | H | H | H | | | |
| □ Spinach | | S | S | S/H | H | H | | S | S | H | H | |
| □ Kale | H | H | S | S | S | S/H | S/H | H | H | H | H | H |
| □ Chard | | | | S | S | S/H | S/H | S/H | H | H | H | |
| □ Broccoli | | | | S | S | S | H | H | H | H | | |
| **Crops to eat** | 11 | 11 | 8 | 7 | 11 | 15 | 17 | 17 | 18 | 20 | 15 | 12 |

Northern Hemisphere dates — southern gardeners add six months. Sowing windows are the normal outdoor windows for Temperate Maritime; a cold frame, cloche or fleece can stretch them by a few weeks either side.

CROP BY CROP

# Notes on every crop in your plan

Short growing notes from the full guides at foodwhentheshopsstop.com. “Seed saving” shows how easy it is to keep your own seed from that crop.

### Potato (maincrop) STAPLE

Blight-resistant varieties (Sarpo Mira) strongly advised in humid zones.

~2,734 kcal per m² · seed saving: easy

### Oats STAPLE

Most maritime-tolerant grain. Historically the staple of Celtic west. Nutritionally complete as porridge.

~659 kcal per m² · seed saving: easy

### Barley STAPLE

Hull-less varieties recommended for grid-down (easier processing). Spring sowing preferred.

~537 kcal per m² · seed saving: easy

### Pea (dried) STAPLE

Allow pods to dry on plant before harvest. Store in airtight containers. Grows as easily as fresh peas.

~1,058 kcal per m² · seed saving: easy

### Broad bean (dried) STAPLE

Aquadulce Claudia. Allow pods to fully dry on plant. Overwinter sowing in mild zones. Fixes nitrogen.

~886 kcal per m² · seed saving: moderate

### Swede STORAGE

Leave in ground as living larder. Rarely freezes solid in mild zones.

~1,414 kcal per m² · seed saving: hard

### Parsnip STORAGE

Fresh seed EVERY year - viable only 1-2 years. Sow thickly. Sweetness peaks after frost. Living larder.

~1,292 kcal per m² · seed saving: hard

### Onion STORAGE

Seed viable 2-3 years stored dry. Dry bulbs thoroughly - up to 6 months hung in cool dry place.

~1,230 kcal per m² · seed saving: moderate

### Beetroot STORAGE

Each seed is a cluster - thin to one plant. Twist off leaves rather than cutting. Store in sand or leave in ground in mild zones.

~1,111 kcal per m² · seed saving: hard

### Carrot STORAGE

Nantes types for maritime zones. Store in sand clamps 4-6 months. Vitamin A source.

~1,036 kcal per m² · seed saving: hard

### Potato (early) QUICK

First harvest 10-12 weeks.

~2,111 kcal per m² · seed saving: easy

### Spring onion QUICK

Ready in 8-12 weeks. Sow thickly and harvest young. White Lisbon is the most reliable variety.

~507 kcal per m² · seed saving: moderate

### Rocket QUICK

Very fast - harvest in 4 weeks. Succession sow every 3 weeks. Goes to seed quickly in heat - sow wild rocket for summer.

~495 kcal per m² · seed saving: easy

### Lettuce QUICK

Bolt-resistant varieties for summer. Cut-and-come-again types most efficient.

~403 kcal per m² · seed saving: easy

### Radish QUICK

Fastest crop available - some varieties ready in 3 weeks. Mouli/daikon types for winter storage.

~384 kcal per m² · seed saving: hard

### Cabbage (summer) GREENS

Very reliable. Stores cut for several weeks in cool conditions.

~945 kcal per m² · seed saving: hard

### Pea (fresh) GREENS

Dwarf varieties need no support. Succession sow every 3 weeks for continuous harvest.

~599 kcal per m² · seed saving: easy

### Spinach GREENS

Bolts in summer heat - perpetual spinach more reliable year-round. High in iron and vitamin C.

~570 kcal per m² · seed saving: hard

### Kale GREENS

Exceptionally hardy. Harvest outer leaves through winter. Vitamin C and K. Most reliable winter crop in maritime zones.

~510 kcal per m² · seed saving: hard

### Chard GREENS

Cut and come again for months. Tolerates mild frost. Bolt-resistant in cool maritime climates.

~378 kcal per m² · seed saving: hard

### Broccoli GREENS

Cut main head then side shoots continue for weeks. Very reliable in maritime zones.

~313 kcal per m² · seed saving: hard

KEEP IT GOING

# Save your own seed from day one

Shop-bought seed will not be there next year. Every crop in your plan can be kept going — some almost effortlessly, some with care. Keep back your seed **before** you start eating the harvest.

### Grown from tubers, slips or cuttings — keep some back

Potato (maincrop) · Potato (early)

There is no seed to save. Each year, keep back some of your best, healthiest, undamaged tubers (or slips and cuttings) and replant them. Store them cool, dark and frost-free. If a crop is hit by disease such as blight, do not replant from affected plants.

### Easy — low crossing risk

Oats · Barley · Pea (dried) · Rocket · Lettuce · Pea (fresh)

These rarely cross with neighbours. Let your best plants mature fully, dry the seed thoroughly, and store it cool, dark and dry.

### Moderate — grow one variety, or separate them

Broad bean (dried) · Onion · Spring onion

These cross with other varieties of the same crop. Grow just one variety for seed, or keep varieties well apart (the guide for each crop at foodwhentheshopsstop.com/seed-saving/ gives distances).

### Harder — strict isolation needed

Swede · Parsnip · Beetroot · Carrot · Radish · Cabbage (summer) · Spinach · Kale · Chard · Broccoli

These cross readily, even over long distances. Save seed from them only once the easy crops are secure.

RULES THAT SAVE YOU A LOT OF GRIEF

- **Do not save seed from F1 hybrids.** The seed will not come true. Open-pollinated or heritage varieties are what you want — buy them now if you can.
- **Biennials flower in their second year** (carrot, parsnip, beetroot, swede, onion, leek and the cabbage family). Keep a few of your best plants through winter, then let them flower and set seed.
- **Pick the best plants**, not the leftovers — healthy, true-to-type, and slow to bolt.
- **Dry it properly.** Seed stored damp rots or sprouts. Label it with crop, variety and year.
- **Keep a reserve.** Hold back a second year of seed if you can, in case of a crop failure.

Full seed-saving guides for every crop: **foodwhentheshopsstop.com/seed-saving-calculator/**

STORE IT · EAT IT

# Keep the harvest, and stay well

### Storing what you grow

- **Grains and dried beans/peas:** dry them fully, then keep in sealed, pest-proof containers somewhere cool and dry. They keep for a year or more.
- **Potatoes and roots:** store undamaged ones somewhere cool, dark, frost-free and ventilated. Check often and use soft or damaged ones first.
- **Onions, shallots and squash:** cure them first (a week or two drying in warm, airy conditions), then store dry and cool.
- **Carrots, parsnips, swedes and beetroot:** keep them in boxes of just-damp sand or soil in a cool place — or leave hardy roots in the ground and lift as needed.

### A plate that keeps you healthy

- **Staples for energy** (potatoes, grains) plus **beans or peas for protein** — together they make a good protein pair.
- **Greens, brassicas and tomatoes** are your main source of vitamins C, A and K and folate — don't skip them because they look low in calories. Orange roots and squash add vitamin A.
- Eat the **fresh quick crops** and greens while they are in season; rely on stored staples and roots in the lean months (see the black months on the calendar).

### Safety notes

- **Dried beans must be cooked properly.** Soak them, then boil hard for at least 10 minutes. Kidney, borlotti and runner beans are poisonous undercooked.
- **Never eat green or sprouting potatoes** — cut away green patches and sprouts, or discard the tuber.
- If you forage or add anything not on this sheet, be certain what it is first.

FEEDING MORE THAN ONE PERSON

| PEOPLE | GROWING LAND | FOOD A YEAR | KCAL A DAY |
|---|---|---|---|
| 1 | 1,107 m² | 1,484 kg | 2,868 |
| 2 | 2,214 m² | 2,967 kg | 5,736 |
| 4 | 4,427 m² | 5,934 kg | 11,472 |
| 6 | 6,641 m² | 8,901 kg | 17,208 |

Multiply every quantity in the plan by the number of adults. Children need less — the calculator at foodwhentheshopsstop.com works it out for your household.

GET READY

# Your shopping list

Seed and planting stock for **one person** for a year. Tick them off as you get them — and buy **open-pollinated** varieties so you can save your own seed.

- [ ] **Potato (maincrop)** — 35 kg seed potatoes
- [ ] **Oats** — 2.6 kg seed grain
- [ ] **Barley** — 3.4 kg seed grain
- [ ] **Pea (dried)** — 1,230 seeds
- [ ] **Broad bean (dried)** — 1,030 seeds
- [ ] **Swede** — 520 seeds
- [ ] **Parsnip** — 1,260 seeds
- [ ] **Onion** — 2,500 seeds
- [ ] **Beetroot** — 820 seeds
- [ ] **Carrot** — 1,570 seeds
- [ ] **Potato (early)** — 3.1 kg seed potatoes
- [ ] **Spring onion** — 200 seeds
- [ ] **Rocket** — 100 seeds
- [ ] **Lettuce** — 55 seeds
- [ ] **Radish** — 200 seeds
- [ ] **Cabbage (summer)** — 32 seeds
- [ ] **Pea (fresh)** — 115 seeds
- [ ] **Spinach** — 135 seeds
- [ ] **Kale** — 20 seeds
- [ ] **Chard** — 40 seeds
- [ ] **Broccoli** — 27 seeds

## Basic tools

- [ ] Spade and fork
- [ ] Hoe and rake
- [ ] Hand trowel
- [ ] Watering can and water butts
- [ ] Wheelbarrow or buckets
- [ ] Seed trays or pots, and compost
- [ ] String, canes and labels
- [ ] Knife or secateurs
- [ ] Trays for drying seed
- [ ] Sealed tins and jars for storage
- [ ] Paper envelopes for saved seed
- [ ] A notebook and waterproof pen

GO DEEPER — EVERYTHING IS FREE AT FOODWHENTHESHOPSSTOP.COM

| | |
|---|---|
| **/zone/** | The full calculator — your household, your crops, exact quantities. |
| **/vegetables/** | Growing guides for every crop, with sowing windows and storage. |
| **/seed-saving-calculator/** | How to save seed from each crop, and isolation distances. |
| **/compost/** | Compost and soil building, by climate zone. |

## A fair warning

Growing all your own food is hard, and the first year is mostly learning. Start now, **start small**, and add more each season — practise while the shops are still open. These numbers are careful estimates, not promises: soil, weather, pests and skill all change what you get.

# Grow something this week.

Free to print, copy and share. Please pass it on. · **foodwhentheshopsstop.com**